



SABS
ISO 9001

SLIDING DOOR CABINET

MODEL	DESCRIPTION Sliding Door Cabinet 650mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
CA-4-P-SD-100065	Plain Top Sliding Door Cabinet	61	1000x650x915
CA-4-P-SD-105065	Plain Top Sliding Door Cabinet	63	1050x650x915
CA-4-P-SD-120065	Plain Top Sliding Door Cabinet	70	1200x650x915
CA-4-P-SD-125065	Plain Top Sliding Door Cabinet	75	1250x650x915
CA-4-P-SD-150065	Plain Top Sliding Door Cabinet	89	1500x650x915
CA-4-P-SD-165065	Plain Top Sliding Door Cabinet	94	1650x650x915
CA-4-P-SD-180065	Plain Top Sliding Door Cabinet	98	1800x650x915
CA-4-P-SD-185065	Plain Top Sliding Door Cabinet	105	1850x650x915
CA-4-P-SD-200065	Plain Top Sliding Door Cabinet	113	2000x650x915
CA-4-P-SD-225065	Plain Top Sliding Door Cabinet	115	2250x650x915
CA-4-P-SD-240065	Plain Top Sliding Door Cabinet	122	2400x650x915
CA-4-P-SD-250065	Plain Top Sliding Door Cabinet	126	2500x650x915

- Constructed with Stainless Steel
- Available with splashback
- Shelf inside for extra packing space
- Adjustable feet
- Flush pull handle



SABS
ISO 9001

NEUTRAL CABINET

MODEL	DESCRIPTION Sliding Door Cabinet / No Doors (Neutral) 650mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
CA-4-N-P-100065	Plain Top Cabinet (No Doors)	48	1000x650x915
CA-4-N-P-105065	Plain Top Cabinet (No Doors)	46	1050x650x915
CA-4-N-P-120065	Plain Top Cabinet (No Doors)	46	1200x650x915
CA-4-N-P-125065	Plain Top Cabinet (No Doors)	63	1250x650x915
CA-4-N-P-160065	Plain Top Cabinet (No Doors)	67	1600x650x915
CA-4-N-P-165065	Plain Top Cabinet (No Doors)	72	1650x650x915
CA-4-N-P-180065	Plain Top Cabinet (No Doors)	73	1800x650x915
CA-4-N-P-185065	Plain Top Cabinet (No Doors)	78	1850x650x915
CA-4-N-P-200065	Plain Top Cabinet (No Doors)	84	2000x650x915
CA-4-N-P-225065	Plain Top Cabinet (No Doors)	85	2250x650x915
CA-4-N-P-240065	Plain Top Cabinet (No Doors)	90	2400x650x915
CA-4-N-P-250065	Plain Top Cabinet (No Doors)	93	2500x650x915

- Constructed with Stainless Steel
- Available with splashback
- Shelf inside for extra packing space
- Adjustable feet

GENERAL SHELVING

MODEL	DESCRIPTION Shelving 4 Tier	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SH-4-4T-085038	Shelving 430 S/S 4 Tier (4 Shelves)	21	850x380x1800
SH-4-4T-085050	Shelving 430 S/S 4 Tier (4 Shelves)	24	850x500x1800
SH-4-4T-115038	Shelving 430 S/S 4 Tier (4 Shelves)	25	1150x380x1800
SH-4-4T-115050	Shelving 430 S/S 4 Tier (4 Shelves)	29	1150x500x1800
MODEL	DESCRIPTION Shelving 4 Tier	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SH-G-4T-085038	Shelving Galv 4 Tier (4 Shelves)	21	850x380x1800
SH-G-4T-085050	Shelving Galv 4 Tier (4 Shelves)	24	850x500x1800
SH-G-4T-115038	Shelving Galv 4 Tier (4 Shelves)	25	1150x380x1800
SH-G-4T-115050	Shelving Galv 4 Tier (4 Shelves)	29	1150x500x1800

- Constructed with Stainless Steel or Galvanised Steel
- Range of sizes
- Robust design
- Flat pack for shipping and easy to assemble
- Available with extra shelves
- Galvanise design uses 1.2mm gauge for uprights and shelves
- Stainless design uses 1.2mm gauge for uprights and 0.9mm for shelves



SHELVING POT RACK

MODEL	DESCRIPTION Shelving Pot Rack	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SH-44-PR-1T-090040	Pot Rack Single Stainless Steel	4	900x400
SH-44-PR-1T-120040	Pot Rack Single Stainless Steel	5	1200x400
SH-44-PR-1T-165040	Pot Rack Single Stainless Steel	6	1600x400
SH-44-PR-1T-185040	Pot Rack Single Stainless Steel	7	1800x400
SH-44-PR-1T-225040	Pot Rack Single Stainless Steel	8	2200x400

- Round Tube Stainless Steel used
- Range of sizes
- Robust design



SHELVING WALL MOUNTED

MODEL	DESCRIPTION Shelving Wall Mounted	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SH-4-WM-1T-090035	Wall Mounted Shelf Single Stainless Steel	6	900x350
SH-4-WM-1T-100035	Wall Mounted Shelf Single Stainless Steel	6	1000x350
SH-4-WM-1T-105035	Wall Mounted Shelf Single Stainless Steel	6	1050x350
SH-4-WM-1T-120035	Wall Mounted Shelf Single Stainless Steel	7	1200x350
SH-4-WM-1T-150035	Wall Mounted Shelf Single Stainless Steel	8	1500x350
SH-4-WM-1T-165035	Wall Mounted Shelf Single Stainless Steel	9	1650x350
SH-4-WM-1T-180035	Wall Mounted Shelf Single Stainless Steel	9	1800x350
SH-4-WM-1T-200035	Wall Mounted Shelf Single Stainless Steel	10	2000x350
SH-4-WM-1T-225035	Wall Mounted Shelf Single Stainless Steel	11	2250x350

- Constructed with Stainless Steel
- Available in single and double tier
- Formed tube used for extra strength





Figure 1



Figure 2



Figure 3



Figure 4



Figure 5



Figure 6

RISER SHELF

MODE	DESCRIPTION Riser Shelf Cold Pass Electric	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
PAC-4-F1PM	Cold Pass figure 1	NA	Per metre
PAC-4-F2PM	Cold Pass figure 2	NA	Per metre
PAC-4-F3PM	Cold Pass figure 3	NA	Per metre
PAC-4-F4PM	Cold Pass figure 4	NA	Per metre
PAC-4-F5PM	Cold Pass figure 5	NA	Per metre
PAC-4-F6PM	Cold Pass figure 6	NA	Per metre

- Constructed with Stainless Steel
- Robust design
- Stainless Steel tubing for strength
- Available in 3 and 4 tier



- Bowls constructed with 304 Stainless Steel
- Drip fillet all round
- Bowl size 500x500x250
- Shelf optional
- Splashback

PREPARATION SINKS

MODEL	DESCRIPTION Preparation Sinks	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SI-4-PR-S-070	Single Bowl Prep Sink (Bowl Size 500x500x250)	26	700x650x915
SI-4-PR-S-900	Single Bowl Prep Sink (Bowl Size 500x500x250)	30	900x650x915
SI-4-PR-S-120	Single Bowl Prep Sink (Bowl Size 500x500x250)	36	1200x650x915
SI-4-PR-S-165	Single Bowl Prep Sink (Bowl Size 500x500x250)	46	1650x650x915
SI-4-PR-S-165	Double Bowl Prep Sink (Bowl Size 500x500x250)	46	1650x650x915
SI-4-PR-S-185	Double Bowl Prep Sink (Bowl Size 500x500x250)	50	1850x650x915
SI-4-PR-S-225	Double Bowl Prep Sink (Bowl Size 500x500x250)	58	2250x650x915



POT SINKS

MODEL	DESCRIPTION Pot Sinks 650 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SI-4-PO-S-090	Single Bowl Pot Sink (Bowl Size 600x500x300)	30	900x650x915
SI-4-PO-S-120	Single Bowl Pot Sink (Bowl Size 600x500x300)	36	1200x650x915
SI-4-PO-S-165	Single Bowl Pot Sink (Bowl Size 600x500x300)	46	1650x650x915
SI-4-PO-D-185	Double Bowl Pot Sink (Bowl Size 600x500x300)	50	1850x650x915
SI-4-PO-D-225	Double Bowl Pot Sink (Bowl Size 600x500x300)	58	2250x650x915

- Bowls constructed with 304 Stainless Steel
- Drip fillet all round
- Bowl size 600x500x300
- Shelf Optional
- Splashback

VEG PREP SINKS (COMBINATION)

MODEL	DESCRIPTION Veg Prep Sink (Combination) 650mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SI-4-VP-D-185	Double Bowl Veg Prep Sink (Bowl Size 600/500x600x250/300)	50	1850x650x915
SI-4-VP-D-225	Double Bowl Veg Prep Sink (Bowl Size 600/500x600x250/300)	58	2250x650x915

- Bowls constructed with 304 Stainless Steel
- Bowl size 500x500x250 and 600x500x300
- Extra rack optional
- Drip fillet all round
- Splashback



HANDWASH BASIN

MODEL	DESCRIPTION Veg Prep Sink (Combination) 650mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SI-4-HWB-WM	Wall Mounted Hand Wash Basin	3	530x420
SI-4-HWB-FR	Freestanding Hand Wash Basin	9	530x420x900
SI-4-HWB-KO	Wall Mounted Hand Wash Basin Knee Operated	4	480x440

- Bowls constructed with 304 Stainless Steel
- Wall mounted
- Drip fillet



TABLE TOP PLAIN

MODEL	DESCRIPTION Plain Top Table 750 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-P-060065-SG	Plain Top Table with Shelf	22	600x650x915
TA-4-P-084065-SG	Plain Top Table with Shelf	27	840x650x915
TA-4-P-105065-SG	Plain Top Table with Shelf	31	1050x650x915
TA-4-P-120065-SG	Plain Top Table with Shelf	34	1200x650x916
TA-4-P-125065-SG	Plain Top Table with Shelf	35	1250x650x915
TA-4-P-150065-SG	Plain Top Table with Shelf	40	1500x650x915
TA-4-P-165065-SG	Plain Top Table with Shelf	43	1650x650x915
TA-4-P-180065-SG	Plain Top Table with Shelf	46	1800x650x915
TA-4-P-185065-SG	Plain Top Table with Shelf	47	1850x650x915
TA-4-P-225065-SG	Plain Top Table with Shelf	55	2250x650x915

MODEL	DESCRIPTION Plain Top Table 650 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-P-060075-SG	Plain Top Table with Shelf	25	600x750x915
TA-4-P-084075-SG	Plain Top Table with Shelf	30	840x750x915
TA-4-P-105075-SG	Plain Top Table with Shelf	34	1050x750x915
TA-4-P-120075-SG	Plain Top Table with Shelf	38	1200x750x916
TA-4-P-125075-SG	Plain Top Table with Shelf	39	1250x750x915
TA-4-P-150075-SG	Plain Top Table with Shelf	45	1500x750x915
TA-4-P-165075-SG	Plain Top Table with Shelf	48	1650x750x915
TA-4-P-180075-SG	Plain Top Table with Shelf	52	1800x750x915
TA-4-P-185075-SG	Plain Top Table with Shelf	64	1850x750x915
TA-4-P-225075-SG	Plain Top Table with Shelf	62	2250x750x915



- Constructed with Stainless Steel
- Square Tubing used for extra strength
- Inner 1.2mm galvanised steel
- Stainless Steel legs
- Collapsible
- Sound Retardant material used between top and inner
- Available extras are stainless steel shelving, slatted shelving etc
- Weight rating for shelf is +-50kg



TABLE SPLASHBACK

MODEL	DESCRIPTION Splash Back Table 650 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-S-060065-SG	Splash Back Table with Shelf	24	600x650x915
TA-4-S-084065-SG	Splash Back Table with Shelf	28	840x650x915
TA-4-S-105065-SG	Splash Back Table with Shelf	33	1050x650x915
TA-4-S-120065-SG	Splash Back Table with Shelf	37	1200x650x916
TA-4-S-125065-SG	Splash Back Table with Shelf	38	1250x650x915
TA-4-S-150065-SG	Splash Back Table with Shelf	43	1500x650x915
TA-4-S-165065-SG	Splash Back Table with Shelf	46	1650x650x915
TA-4-S-180065-SG	Splash Back Table with Shelf	50	1800x650x915
TA-4-S-185065-SG	Splash Back Table with Shelf	51	1850x650x915
TA-4-S-225065-SG	Splash Back Table with Shelf	59	2250x650x915

MODEL	DESCRIPTION Splash Back Table 750 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-S-060075-SG	Splash Back Table with Shelf	26	600x750x915
TA-4-S-084075-SG	Splash Back Table with Shelf	31	840x750x915
TA-4-S-105075-SG	Splash Back Table with Shelf	36	1050x750x915
TA-4-S-120075-SG	Splash Back Table with Shelf	41	1200x750x915
TA-4-S-125075-SG	Splash Back Table with Shelf	42	1250x750x915
TA-4-S-150075-SG	Splash Back Table with Shelf	48	1500x750x915
TA-4-S-165075-SG	Splash Back Table with Shelf	51	1650x750x915
TA-4-S-180075-SG	Splash Back Table with Shelf	55	1800x750x915
TA-4-S-185075-SG	Splash Back Table with Shelf	54	1850x750x915
TA-4-S-225075-SG	Splash Back Table with Shelf	66	2250x750x915

- Constructed with Stainless Steel
- Square Tubing used for extra strength
- Inner 1.2mm galvanised steel
- Stainless Steel legs
- Sound Retardant material used between top and inner



HOYING TABLE

MODEL	DESCRIPTION Hoisting Table Frame	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
Hoisting	Hoisting Table Frame	21	600x650

- Constructed with Stainless Steel
- Square Tubing used for strength
- Mobile on 75 mm Castors

DUMP TABLES

MODEL	DESCRIPTION Dump Table (Single) 620 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-DU-1T-110	Single (1 T) Dump Table	28	1100x620x915
TA-4-DU-1T-160	Single (1 T) Dump Table	36	1600x620x915
TA-4-DU-1T-180	Single (1 T) Dump Table	40	1800x620x915
TA-4-DU-1T-210	Single (1 T) Dump Table	44	2100x620x915

MODEL	DESCRIPTION Dump Table (Double) 620 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-DU-2T-110	Double (2 T) Dump Table	49	1100x620x915
TA-4-DU-2T-160	Double (2 T) Dump Table	64	1600x620x915
TA-4-DU-2T-180	Double (2 T) Dump Table	70	1800x620x915
TA-4-DU-2T-210	Double (2 T) Dump Table	80	2100x620x915

MODEL	DESCRIPTION Dump Table 620 mm Mushroom Basket Shelf	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-DU-MU-110	Dump Table with Mushroom Basket Shelf	68	1100x620x915
TA-4-DU-MU-160	Dump Table with Mushroom Basket Shelf	84	1600x620x915
TA-4-DU-MU-180	Dump Table with Mushroom Basket Shelf	90	1800x620x915
TA-4-DU-MU-210	Dump Table with Mushroom Basket Shelf	107	2100x620x915

MODEL	DESCRIPTION Dump Table 620 mm Angled Basket Shelf	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-DU-A-110	Dump Table with Angled Basket Shelf	50	1100x620x915
TA-4-DU-A-160	Dump Table with Angled Basket Shelf	63	1600x620x915
TA-4-DU-A-180	Dump Table with Angled Basket Shelf	68	1800x620x915
TA-4-DU-A-210	Dump Table with Angled Basket Shelf	78	2100x620x915

- Constructed with Stainless Steel top
- Square Tubing used for strength
- Drip fillet all round



SABS
ISO 9001



SABS
ISO 9001



SABS
ISO 9001

INLET TABLES

MODEL	DESCRIPTION Inlet Table 620 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
SI-4-IN-SB-070	Inlet Sink Table With Splash Guard (Bowl size 450x450x250)	22	700x620x915
SI-4-IN-SB-090	Inlet Sink Table With Splash Guard (Bowl size 450x450x250)	25	900x620x915
SI-4-IN-SB-110	Inlet Sink Table With Splash Guard (Bowl size 450x450x250)	30	1100x620x915
SI-4-IN-SB-160	Inlet Sink Table With Splash Guard (Bowl size 450x450x250)	39	1600x620x915

- Constructed with tainless Steel top
- Square Tubing used for extra strength
- High boxed edge to guide dishwashing baskets



SABS
ISO 9001



OUTLET TABLE

MODEL	DESCRIPTION Outlet Table 620 mm	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TA-4-0-070	Outlet Table With 1 Set of Legs	18	700x620x915
TA-4-0-090	Outlet Table With 1 Set of Legs	24	900x620x915
TA-4-0-110	Outlet Table With 1 Set of Legs	32	1100x620x915
TA-4-0-160	Outlet Table With 1 Set of Legs	41	1600x620x915

- Constructed with Stainless Steel top
- Square Tubing used for extra strength
- High boxed edge to guide dishwashing basket



JOCKEY STATION TABLE

MODEL	DESCRIPTION Outlet Table 620 mm	WEIGHT (kg)	DIMENSIONS
TA-4-Jockey-1650	Jockey Station c/w Ice Well, sink Bowl and Speedrail with Shelf or no shelf.	58	1650x650x915
TA-4-Jockey-1800	Jockey Station c/w Ice Well, sink Bowl and Speedrail with Shelf or no shelf.	62	1800x650x915
TA-4-Jockey-2250	Jockey Station c/w Ice Well, sink Bowl and Speedrail with Shelf or no shelf.	72	2250x650x915
TA-4-Jockey-2340	Jockey Station c/w Ice Well, sink Bowl and Speedrail with Shelf or no shelf.	82	2340x650x915

- Has a MB5, Ice Well and Speed rail fitted
- Square tubing used for extra strength



TROLLEYS

MODEL	DESCRIPTION Trolleys	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
TR-4-18SH-600400	18sh GP Trolley Baking Tray 600x400	30	600x400
TR-3-BLOOD	Blood Crate Trolley-S/Steel 304 MBS# trd-91490	9	645x455x180
TR-40-GN 1/1 11SH	GN 1/1 Tray Trolley-11 Tier S/Steel 441-SINGLE	26	600 X 400x1800
TR-40-GN 2/1 11SH	GN 1/1 Tray Trolley-11 Tier S/Steel 441-Double	17	735x530x1800
TR-40-TTR-D-11T	Tuff Tray (400x280) Trolley 11 Tier S/Steel 441-DOUBLE	47	895x600x1800
TR-40-TTR-S-11T	Tuff Tray (400x280) Trolley 11 Tier S/Steel 441-SINGLE	27	460x600x1800
Mobile Dolley	Mobile Dolley for Omega Bin	15	ø 450x168

General Purpose Trolley

- Constructed with 25mm Stainless Steel square tubular frame
- Angle runners from 1.2 mm, Stainless Steel
- Mobile on 130mm castors
- High temperature resistant

GN Trolley

- Constructed with 25mm square tubing Stainless Steel
- Angled runners from Stainless Steel
- Mobile on rubber castors

Blood Crate Trolley

- Constructed with 304 Stainless Steel tray
- Allows to crate frozen product thaw and drain into tray

Tuff Tray Trolley

- Constructed with 25mm square tubing Stainless Steel
- Angled runners from Stainless Steel
- Mobile on rubber castors

Mobile Dolley trolley

- Constructed with Stainless Steel Flat bar
- Mobile on 75mm rubber castors

GENERAL

MODEL	DESCRIPTION	WEIGHT (kg)	DIMENSIONS (L X B X H) mm
GT-3-081051	Grease Trap S/Steel 304 - Free Standing with 2 x Lids & Baskets	42	810x510x450
GT-3-045045	Grease Trap S/Steel 304 - Free Standing with Lids & Baskets	18	450x450x450
IW-3-035035	Ice Well drop in 304 S/S with galv outer	12	350x350x350
IW-3-045035	Ice Well drop in 304 S/S with galv outer	15	450x350x350
GWS-4-225620	Glass Washer Station (Inlet sink and Outlet Table)	62	2250x620x915
GWS-4-620620	Glass Washer Stand with Runners	22	620x620x450
SH-44-BR-056055	Dishwasher Single Basket Rack under to take 3 Baskets	8	560x550x750
SH-44-BR-105055	Dishwasher Double Basket Rack under to take 6 Basket	5	1050x550x750
RAT-99000	Oven Stand S/S with Top (Combi Steam)	41	925x805x750

Grease Traps

- Constructed with 304 Stainless Steel.

Ice Wells

- Constructed with 304 Stainless Steel Drop in.

Glass Washer Station (Inlet sink and outlet Table)

- Constructed with a Stainless Steel Top
- 1.2mm Galvanized Inner
- Stainless Steel Square Tubing used for Strength
- Stainless Steel runners

Glass Washer Stand with Runners

- Constructed with Stainless steel Top
- Stainless Steel Runners

Dishwasher Single Basket Rack under to take 3 Baskets

- Constructed with Stainless Steel

Dishwasher Double Basket Rack under to take 6 Baskets

- Constructed with Stainless Steel

Oven Stand S/S with Top (Combi Steam)

- Constructed with 409 Stainless Steel Frame and Runners
- Constructed with 430 Stainless Steel Top.

